| HYBRID POWER SYSTEM                |  |
|------------------------------------|--|
| Hybrid System Net Horsepower       | 280 horsepower (209 kw)  |
| Engine                             |  |
| Type, Materials                    | V6 aluminum block and heads DOHC 24-valve with VVT-i             |
| Valvetrain                         | DOHC, 4-valve/cylinder   |
| Displacement                       | 3.5-liter  |
| Bore x Stroke                      | 3.70 x 3.27  |
| Compression Ratio                  | 12.5:1   |
| Horsepower (SAE Net)               | 231 hp (172 kW) @ 5,800 rpm                                      |
| Torque                             | 215 lb-ft @ 4,800 rpm  |
| Fuel System                        | Electronic Fuel Injection (EFI)                                  |
| Recommended Fuel                   | 87-octane unleaded (or higher)                                   |
| Emission Certification             | SULEV (California) Tier 2 – Bin 3 (all other states)             |
| Evaporative Emission Certification | TBD  |
| EPA Estimated Fuel Economy         | 28/28/28   |
| (city/highway/combined MPG)        | *2014 <u>Projected</u> EPA MPG<br>Estimates. Actual mileage will |
|                                    | vary.  |
| ELECTRIC MOTOR                     |  |
| Motor Generator 1 (MG1)            |  |
| -Function                          | Generator, engine starter, transmission ratio control            |
| - Type                             | Permanent magnet motor   |
| - Max. Voltage                     | AC 650V  |
| Motor Generator 2 (MG2)            |  |
| -Function                          | Drives front wheels, regeneration during braking                 |
| - Type                             | Permanent magnet motor   |
| - Max. Voltage                     | AC 650V  |
| - Max. Output                      | 167 hp (123 kw)  |
| - Max. Torque                      | 247 lbft.  |
| Motor Generator Rear (MGR)         |  |
| -Function                          | Drives rear wheels, regeneration during braking                  |
| - Туре                             | Permanent magnet motor   |
| - Max. Voltage                     | AC 650V  |
| - Max. Output                      | 68 hp (50 kw)  |
| - Max. Torque                      | 103 lbft.  |
| HYBRID BATTERY PACK                |  |
| Туре                               | Sealed nickel metal hydride (Ni-MH)                              |

## **TOYOTA** 2014 Highlander Hybrid Product Information

| HYBRID POWER SYSTEM – CONT. |       |
|-----------------------------|-------|
| Nominal Voltage             | 288V  |
| Maximum Power Output        | 45 kW |

| DRIVETRAIN                 |   |
|----------------------------|---|
| Layout                     | AWD-i models equipped with front and rear electric drive motors   |
| Transmission Type          | Electronically controlled continuously variable transmission with planetary gear unit for gear reduction and power splitting; electronic all-wheel drive control system |
| Designation (Front/)       | P313  |
| Differential Ratio (Front) | 3.542   |

| CHASSIS AND BODY        |   |   |  |
|-------------------------|---|---|--|
| Body/Frame              |   | Unitized steel  |  |
| Suspension              | - Front                                     | MacPherson strut, coil springs  |  |
|                         | - Rear                                      | Double Wishbone   |  |
| Steering                | - Туре                                      | Electronic Power Steering (EPS): Rack and pinion with electronic power assist   |  |
|                         | - Overall Ratio                             | 16:1  |  |
|                         | - Turns, Lock to Lock                       | 2.74 turns  |  |
|                         | - Turning Circle<br>Diameter (curb to curb) | 38.7 ft.  |  |
| Brakes                  | - Туре                                      | Electronically Controlled Brake system (ECB) with regenerative control and incorporating Anti-Lock Brakes (ABS), Electronic Brake force Distribution (EBD), Brake Assist and Vehicle Dynamics Integrated Management system (VDIM) |  |
|                         | - Front Type/Diameter                       | Ventilated Disc/ 12.9 in.   |  |
|                         | - Rear Type/Diameter                        | Solid Disc / 12.2 in.   |  |
| Anti-lock Brake         | e System (ABS)                              | 4 channel, 4 sensor   |  |
| Wheel Size              |   | 7.5 x 19 inches   |  |
| Wheel Type and Material |   | Chromtec <sup>®</sup> Alloy   |  |
| Tire Size               |   | P245/55 R19   |  |
| Tire Type               |   | All-season steel-belted radial  |  |
| Spare Tire/Wheel        |   | Temporary 18-inch tire  |  |

## **TOYOTA** 2014 Highlander Hybrid Product Information

| EXTERIOR DIMENSIONS         |               |
|-----------------------------|---------------|
| Wheelbase                   | 109.8 in.     |
| Overall Length              | 191.1 in.     |
| Overall Width               | 75.8 in.      |
| Overall Height              | 70.1 in.      |
| Tread Width (Front/Rear)    | 64.4/64.2 in. |
| Ground Clearance            | 8.0 in.       |
| Coefficient of Drag         | 0.34          |
| Angle of Approach/Departure | 18/24 degrees |

| 7                                  |  |  |  |
|------------------------------------|--|--|--|
| with moonroof                      | with panoramic moonroof  |  |  |
| 39.5 in                            | 39.8 in.   |  |  |
| 39.6 in.                           | 37.8 in.   |  |  |
| 36.9 in.                           | 35.9 in.   |  |  |
|                                    |  |  |  |
| 44.2 in.                           |  |  |  |
| 38.4 in.                           |  |  |  |
| 26.7 in.                           |  |  |  |
|                                    |  |  |  |
| 59.3 in.                           |  |  |  |
| 59.0 in.                           |  |  |  |
| 55.0 in.                           |  |  |  |
|                                    |  |  |  |
| 57.2 in.                           |  |  |  |
| 57.1 in.                           |  |  |  |
| 45.6 in.                           |  |  |  |
| 154.9 cu. ft. w/moonroof           |  |  |  |
| 152.8 cu. ft. w/panoramic moonre   | 152.8 cu. ft. w/panoramic moonroof   |  |  |
| 141.10 cu. ft. w/Moonroof)         |  |  |  |
| 139.2 cu. Ft. w/panoramic moonroof |  |  |  |
| With standard moonroof             | With panoramic moonroof  |  |  |
| 78.6 cu. ft.                       | 77.6 cu. ft.   |  |  |
| 42.3 cu. ft.                       | 42.0 cu. ft.   |  |  |
| 13.8 cu. ft.                       | 13.6 cu. ft.   |  |  |
| Mid-size SUV                       |  |  |  |
|                                    | with moonroof      39.5 in      39.6 in.      39.6 in.      36.9 in.      44.2 in.      38.4 in.      26.7 in.      59.3 in.      59.0 in.      57.2 in.      57.1 in.      45.6 in.      154.9 cu. ft. w/moonroof      152.8 cu. ft. w/panoramic moonr      141.10 cu. ft. w/Moonroof)      139.2 cu. Ft. w/panoramic moonr      With standard moonroof      78.6 cu. ft.      42.3 cu. ft.      13.8 cu. ft. |  |  |

# **TOYOTA** 2014 Highlander Hybrid Product Information

| WEIGHTS AND CAPACITIES |   |
|------------------------|---|
| Curb Weight            | 4,861 lbs. (Limited & Platinum Package) |
| GVWR                   | 6,270 lbs. (Limited & Platinum Package) |
| Payload                | 1,305 lbs. (Limited & Platinum Package) |
| Maximum Towing Weight  | 3,500 lbs.                              |
| Maximum Tongue Weight  | 350 lbs.                                |
| Fuel Capacity          | 17.2 gal.                               |

#### STANDARD EXTERIOR FEATURES

#### **Hybrid Limited**

- Projector-beam halogen smoked-chrome accent headlights with auto on/off feature
- LED Daytime Running Lights (DRL) with on/off feature
- Integrated fog lights
- Hybrid Synergy Drive<sup>®</sup> blue accent badges
- Color-keyed heated power outside mirrors with memory, turn signal and blind spot warning indicators, puddle lamps and folding features
- Color-keyed outside door handles
- Power tilt/slide moonroof with sunshade and jam protection
- 19-inch five-spoke Chromtec® alloy wheels with P245/55/R19 105S tires
- Black front and rear mudguards
- Washer-linked variable intermittent windshield wipers and intermittent rear wiper
- Windshield wiper de-icer
- UV reduction glass on all windows
- High Solar Energy-Absorbing (HSEA) glass on front and rear side windows
- Privacy glass on rear side, quarter, and liftgate windows
- Flip-up rear hatch window
- Adjustable power liftgate with jam protection
- Color-keyed rear spoiler with LED center high-mount stop lamp
- Chromtec<sup>®</sup> roof rails
- Smart Key System on front doors and liftgate with Push Button Start and remote keyless entry system
  with illuminated entry
- Rear liftgate window defogger

## STANDARD INTERIOR FEATURES

- Three-zone automatic climate control with air filter, separate second-row control panel, individual temperature settings for driver, front passenger and rear-seat passengers and second- and third-row vents
- Integrated Backup camera with dynamic gridlines
- 4.2-inch color LCD Multi-Information Display in meter cluster with odometer, current/average fuel economy, cruising range, average speed, AWD torque distribution, cruise control guide, navigation with turn-by-turn directions, audio status, hands-free incoming call notices, telephone information, Eco driving indicator, and energy monitor
- Perforated leather-trimmed front and second-row seats, heated and ventilated front row seats, eightway power-adjustable memory driver's seat including power thigh support and lumbar support, fourway power adjustable front passenger seat, and second-row captain's chairs with side table
- SofTex<sup>®</sup>-trimmed 60/40 split fold-flat third-row seat with sliding headrests and recline function
- Cruise control
- Leather-trimmed tilt/telescopic three-spoke steering wheel with metallic accents and audio, Multi-Information Display, Bluetooth<sup>®</sup> hands-free phone, voice command, cruise controls, and multi-media information controls
- Optitron instrumentation with blue-illuminated speedometer and tachometer/Hybrid power system meter and 4.2-inch color LCD Multi-information Display screen
- Soft-touch upper door trim with wood-grain accent, leatherette-trimmed door armrest area with satin chrome interior door handles
- Blue LED ambient lighting on interior of front and rear doors and in-dash shelf
- · Power windows with auto up/down and jam protection in all positions
- Power door locks with shift-linked automatic lock/unlock feature
- Auto-dimming Electric Chromic (EC) rearview mirror
- Overhead console with maplights, sunglasses storage, conversation mirror, and Homelink<sup>®</sup> universal transceiver
- 24.5-liter soft-touch roll-top center console with removable utility tray
- Soft-touch in-dash shelf with easy cable management
- Eight cupholders and four bottle holders
- Dual sun visors with sliding function and illuminated vanity mirrors
- Three 12V auxiliary power outlets (two front and one second-row area)
- One 110V auxiliary AC power outlet (second row seat)
- Four cargo area tie-down cargo hooks
- Cargo area lights
- Front and second-row seat reading lights
- Second-row retractable window sunshades
- Digital clock
- Driver Easy Speak driver voice amplification

### STANDARD AUDIO SYSTEM

 Entune Premium JBL Audio with Navigation and App Suite – includes the Entune Multimedia Bundle (8-inch high resolution touch-screen with split screen display, AM/FM CD player, MP3/WMA playback capability, 12 JBL<sup>®</sup> Green Edge<sup>™</sup> speakers, auxiliary audio jack, USB 2.0 port with iPod<sup>®</sup> connectivity and control, advanced voice recognition, hands-free phone capability, phone book access and music streaming via Bluetooth<sup>®</sup> wireless technology), Entune App Suite, Intelligent Touch controls, SiriusXM Radio with 90-day complimentary trial, HD radio, HD predictive traffic and Doppler weather overlay, AM/FM cache radio, and Gracenotes album cover art

#### STANDARD SAFETY AND SECURITY

- STAR Safety System<sup>™</sup> includes Electronically Controlled Braking (ECB), Vehicle Dynamics Integrated Management (VDIM), Enhanced Vehicle Stability Control (Enhanced-VSC), Traction Control (TRAC), Anti-lock Brake System (ABS), Electronic Brake-force Distribution (EBD), Brake Assist (BA) and Smart Stop Technology (SST)
- Driver and front passenger Advanced Airbag System
- Driver and front passenger seat-mounted side airbags, driver knee airbag, front passenger seat cushion airbags, and all-row Roll-Sensing Side Curtain Airbags (RSCA)
- Driver and front passenger Whiplash-Injury-Lessening (WIL) seats
- Driver and front passenger seatbelt warning sensor
- Three-point seatbelts for all seating positions; driver-side Emergency Locking Retractors (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger belts
- Adjustable front seatbelt shoulder anchors and driver and front passenger seatbelt pretensioners with force limiters
- LATCH (Lower Anchors and Tethers for Children) includes lower anchors and tethers on outboard second-row seats and tether anchor on middle of third-row seat
- Child-protector rear door locks
- Collapsible steering column
- Front and rear energy-absorbing crumple zones and side-impact door beams
- Energy-dissipating interior trim
- Tire Pressure Monitor System (TPMS)
- Hill Start Assist Control (HAC)
- Downhill Assist Control (DAC)
- Anti-theft system with alarm and engine immobilizer
- Blind Spot Monitor (BSM) with Rear Cross Traffic Alert (RCTA)
- Rear Parking Assist Sonar

#### STANDARD MECHANICAL FEATURES

- Hybrid engine: 3.5-liter V6 Double Overhead Cam (DOHC), 24-valve engine with Variable Valve Timing with Intelligence (VVT-i); 280 hybrid system net hp (209kW)
- Electronically Controlled Continuously Variable Transmission (ECVT) with ECO mode and EV mode
- Electronic On-Demand AWD system with intelligence (4WD-i)
- Independent MacPherson strut front suspension, double wishbone rear suspension, and front and rear stabilizer bars
- Electric Power Steering (EPS); power-assisted rack-and-pinion
- Power-assisted ventilated 12.9-inch front disc brakes; solid 12.2-inch rear disc brakes with Electronically Controlled Braking (ECB) System; integrated regenerative braking

### FACTORY OPTIONS

- Driver Technology Package: Includes Safety Connect (includes Emergency Assistance, Stolen Vehicle Locator, Roadside Assistance and Automatic Collision Notification. Available by subscription), Pre-Collision System with Dynamic Radar Cruise Control, and Lane Departure Alert with Automatic High Beam Headlights
- Platinum Package: Includes Driver Technology Package, Panoramic Moonroof, heated steering wheel, and heated perforated leather second-row captain's chairs
- Rear-seat Blu-Ray<sup>®</sup> DVD entertainment system with nine-inch display, RCA jacks, remote, and two wireless headphones

#### AVAILABLE EXTERIOR COLORS

- Alumina Jade Metallic
- Moulin Rouge Mica
- Crème Brulee Mica
- Nautical Blue Metallic
- Silver Sky Metallic
- Attitude Black Metallic
- Predawn Gray Mica
- Blizzard Pearl
- Shoreline Blue Pearl

#### BASIC LIMITED WARRANTY COVERAGE

- 3-year/36,000-mile Comprehensive
- 5-year/60,000-mile Powertrain
- 5-year/unlimited-mileage Corrosion Perforation
- 8-year/100,000-mile Hybrid-related Component Coverage